

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003205 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL DATE/TIME TAKEN: 09/30/20 05:48A
146 PEEKSKILL HOLLOW RD DATE/TIME REC'D: 09/30/20 11:45A
ATTN: DAVID SPITTAL REPORT DATE: 10/05/20
PUTNAM VALLEY, NY 10579 PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL;1ST FLOOR BOYS BATHROOM SAMPLE TYPE.: POTABLE
: NORTH RIGHT PRESERVATIVES: HNO3
COL'D BY: CAREY CLERICI TEMP RECEIVED: 20C NOT ON ICE
NOTES...: COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/02/20			LEAD (IMS)	2.2 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T.(ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003206 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 05:48A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; 1ST FLOOR GIRLS BATHROOM
: NORTH RIGHT

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/02/20			LEAD (IMS)	7.4 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003208 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 05:59A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL;CAFE TRAY RETURN GARBAGE
: AREA

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI

NOTES....:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/02/20			LEAD (IMS)	1.5 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003189 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: PAT BELLINO
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 05:58A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; 1ST FACULTY SOUTH LEFT

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/02/20			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003190 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: PAT BELLINO
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 06:10A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL;MAINT OFFICE

SAMPLE TYPE.: POTABLE

COL'D BY: CAREY CLERICI

PRESERVATIVES: HNO3

NOTES...:

TEMP RECEIVED: 20C NOT ON ICE

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/02/20			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 22 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.

(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=

U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009

NATIONAL PRIMARY DRINKING WATER REGULATIONS

VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003191 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: PAT BELLINO
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 06:03A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; 156

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES....:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/02/20			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003192 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: PAT BELLINO
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 06:09A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL;GIRLS LOCKER ROOM SINK

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/02/20			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003193 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: PAT BELLINO
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 06:07A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL;BOYS LOCKER ROOM SINK

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME END DATE/TIME FLAG PROCEDURE RESULT NORMAL - RANGE METHOD

10/02/20 LEAD (IMS) 4.8 ppb 0-15 ppb SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003194 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: PAT BELLINO
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 06:10A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; ICE MACHINE BOYS STORAGE

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/02/20			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003195 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: PAT BELLINO
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 06:05A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL;154

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI

NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/02/20			LEAD (IMS)	7.1 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T.(ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003196 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: PAT BELLINO
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 05:57A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL;BOYS ROOM OUTSIDE GYM NEW

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/02/20			LEAD (IMS)	2.1 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T.(ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003197 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: PAT BELLINO
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 05:57A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL;GIRLS RM OUTSIDE GYM NEW

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES....:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/02/20			LEAD (IMS)	5.5 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T.(ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003198 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: PAT BELLINO
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 06:02A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL;151

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES....:

START DATE/TIME END DATE/TIME FLAG PROCEDURE RESULT NORMAL - RANGE METHOD

10/02/20 LEAD (IMS) 1.0 ppb 0-15 ppb SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003199 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: PAT BELLINO
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 06:01A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; 150

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES....:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/02/20			LEAD (IMS)	2.6 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T.(ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003200 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: PAT BELLINO
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 05:54A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; 142 LEFT

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES....:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/02/20			LEAD (IMS)	2.1 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003207 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 05:48A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; GENDER NEUTRAL REST ROOM
: 1ST FLOOR

SAMPLE TYPE...: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME END DATE/TIME FLAG PROCEDURE RESULT NORMAL - RANGE METHOD

10/02/20 LEAD (IMS) 442 ppb 0-15 ppb SM 22 3113B

COMMENTS:

LEAD RESULT EXCEEDS THE MCL LEVEL OF 15 ppb.
MCL = MAXIMUM CONTAMINANT LEVEL; NOTIFIED CLIENT 10/05/20; RP


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003202 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 05:54A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL;142 RIGHT

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/02/20			LEAD (IMS)	8400 ppb	0-15 ppb	SM 22 3113B

COMMENTS:

LEAD RESULT EXCEEDS THE MCL LEVEL OF 15ppb
MCL = MAXIMUM CONTAMINANT LEVEL; NOTIFIED CLIENT 10/05/20;RP

COMMENTS:

Ph/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003203 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 05:50A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL;1ST FLOOR FACULTY
: NORTH WEST

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI

NOTES....:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/02/20			LEAD (IMS)	19.3 ppb	0-15 ppb	SM 22 3113B

COMMENTS:

LEAD RESULT EXCEEDS THE MCL LEVEL OF 15 ppb
MCL = MAXIMUM CONTAMINANT LEVEL; NOTIFIED CLIENT 10/5/20; RP

COMMENTS:

Ph/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.


IMS IMS = IMMEDIATE METAL SAMPLE.

(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=

U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003183 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 05:58A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; KITCHEN KETTLE FILLER

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/01/20			LEAD (IMS)	67.5 ppb	0-15 ppb	SM 22 3113B

COMMENTS:

LEAD RESULT EXCEEDS THE MCL LEVEL OF 15 ppb
MCL = MAXIMUM CONTAMINANT LEVEL; NOTIFIED CLIENT 10/05/20; LP


COMMENTS:

Ph/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003180 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 05:50A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; MED SINK

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI

NOTES....:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/01/20			LEAD (IMS)	19.0 ppb	0-15 ppb	SM 22 3113B

COMMENTS:

LEAD RESULT EXCEEDS THE MCL LEVEL OF 15 ppb
MCL = MAXIMUM CONTAMINANT LEVEL; NOTIFIED CLIENT 10/5/20;RP

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003177 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 06:04A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL;2ND FLOOR GIRLS SOUTH
: CENTER SINK

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/01/20			LEAD (IMS)	7.7 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003178 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 06:04A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; 2ND FLOOR GIRLS SOUTH
: LEFT SINK

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/01/20			LEAD (IMS)	2.1 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003179 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 05:50A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL;NURSE BATHROOM

SAMPLE TYPE.: POTABLE

COL'D BY: CAREY CLERICI

PRESERVATIVES: HNO3

NOTES...:

TEMP RECEIVED: 20C NOT ON ICE

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/01/20			LEAD (IMS)	1.3 ppb	0-15 ppb	SM 22 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.

EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.

(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=


U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009

NATIONAL PRIMARY DRINKING WATER REGULATIONS

VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003181 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 05:57A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; KITCHEN HAND WASH

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI

NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/01/20			LEAD (IMS)	7.3 ppb	0-15 ppb	SM 22 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003182 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 05:59A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; KITCHEN 1 BAY SINK
:
COL'D BY: CAREY CLERICI
NOTES...:

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/01/20			LEAD (IMS)	1.0 ppb	0-15 ppb	SM 22 3113B

COMMENTS:
Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003184 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 05:59A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; KITCHEN 2 BAY SINK

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/01/20			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003185 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 05:01A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; KITCHEN 3 BAY SINK

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/01/20			LEAD (IMS)	11.5 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003186 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 05:51A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; 1ST FLOOR FACULTY COUNTER
: EAST
COL'D BY: CAREY CLERICI
NOTES...:

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/01/20			LEAD (IMS)	6.2 ppb	0-15 ppb	SM 22 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003187 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 05:51A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL;1ST FACULTY COUNTER WEST

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/01/20			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003188 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 05:58A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; 1ST FLOOR FACULTY
: SOUTH RIGHT

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/02/20			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003201 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 05:54A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; 142 CENTER

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI

NOTES....:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/02/20			LEAD (IMS)	4.3 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003204 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 09/30/20 05:49A
DATE/TIME REC'D: 09/30/20 11:45A
REPORT DATE: 10/05/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL;1ST FLOOR FACULTY
NORTH EAST

SAMPLE TYPE...: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20 C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/02/20			LEAD (IMS)	5.7 ppb	0-15 ppb	SM 22 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003334 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 05:41A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; 2ND FL GIRLS NORTH RIGHT

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI

NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003335 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 05:41A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; 2ND FL BOYS NORTH RIGHT

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	1.0 ppb	0-15 ppb	SM 22 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003336 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 05:40A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: 2ND FLOOR FACULTY NORTH
:
COL'D BY: CAREY CLERICI
NOTES....:

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	6.1 ppb	0-15 ppb	SM 22 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T.(ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003337 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 05:43A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; 2ND FLOOR LIBRARY

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	1.2 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003338 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 05:44A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: 2ND FL BOTTLE FILLER WEST

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES....:

START DATE/TIME END DATE/TIME FLAG PROCEDURE RESULT NORMAL - RANGE METHOD

10/14/20 LEAD (IMS) <1.0 ppb 0-15 ppb SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003339 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 05:48A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; 2ND FL BOTTLE FILLER EAST

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003340 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 05:49A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; 2ND FL WATER FOUNTAIN
: SOUTH

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	114 ppb	0-15 ppb	SM 22 3113B

COMMENTS:

LEAD RESULT EXCEEDS THE MCL LEVEL OF 15 ppb
MCL = MAXIMUM CONTAMINANT LEVEL; NOTIFIED CLIENT 10/16/20; LP


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003341 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 05:52A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; 2ND FL GIRLS SOUTH RIGHT
:
COL'D BY: CAREY CLERICI
NOTES...:

SAMPLE TYPE...: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 22 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003342 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 05:53A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; 2ND FL BOYS SOUTH RIGHT

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003343 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 05:58A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL;2ND FL FACULTY SOUTH

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES....:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003344 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 06:13A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; CONCESSION BOTTLE FILLER

SAMPLE TYPE.: POTABLE

COL'D BY: CAREY CLERICI

PRESERVATIVES: HNO3

NOTES...:

TEMP RECEIVED: 20C NOT ON ICE

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003345 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL DATE/TIME TAKEN: 10/06/20 05:57A
146 PEEKSKILL HOLLOW RD DATE/TIME REC'D: 10/06/20 09:30A
ATTN: DAVID SPITTAL REPORT DATE: 10/17/20
PUTNAM VALLEY, NY 10579 PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; 2ND FL BOYS SOUTH LEFT SAMPLE TYPE.: POTABLE
: PRESERVATIVES: HNO3
COL'D BY: CAREY CLERICI TEMP RECEIVED: 20C NOT ON ICE
NOTES...: COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 22 3113B

COMMENTS:
Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003346 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 05:57A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL;2ND FL BOYS SOUTH CENTER

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	1.2 ppb	0-15 ppb	SM 22 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003347 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 05:51A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; 2ND FL GIRLS NORTH LEFT

SAMPLE TYPE.: POTABLE
PRESERVATIVES: NONE
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI

NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003348 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 05:51A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; 2ND FL GIRLS
: NORTH CENTER

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003349 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 05:53A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; 2ND FL BOYS NORTH LEFT

SAMPLE TYPE...: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	1.3 ppb	0-15 ppb	SM 22 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003350 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 05:50A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL;2ND FL BOYS NORTH CENTER

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	2.4 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003351 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 05:38A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL;1ST FL GIRLS NORTH LEFT

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	9.3 ppb	0-15 ppb	SM 22 3113B

COMMENTS:


Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY:


Albert H. Padovani, M.T.(ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003352 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 05:38A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL;1ST FL BOYS NORTH LEFT

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 22 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T.(ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003353 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 06:12A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; CONCESSION ICE MACHINE

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES....:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 22 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003354 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 06:04A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; CONCESSION KITCHEN SINK

SAMPLE TYPE.: POTABLE

COL'D BY: CAREY CLERICI

PRESERVATIVES: HNO3

NOTES...:

TEMP RECEIVED: 20C NOT ON ICE

COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	3.4 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003355 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 06:14A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; CONCESSION BOYS ROOM SINK
:
COL'D BY: CAREY CLERICI
NOTES....:

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003356 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 06:03A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL; CONCESSION GIRLS RM SINK

SAMPLE TYPE..: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003357 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 05:57A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL CONFIRMATIONS
: KITCHEN KETTLE REDO
COL'D BY: CAREY CLERICI
NOTES....:

SAMPLE TYPE...: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 22 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003358 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL DATE/TIME TAKEN: 10/06/20 05:43A
146 PEEKSKILL HOLLOW RD DATE/TIME REC'D: 10/06/20 09:30A
ATTN: DAVID SPITAL REPORT DATE: 10/17/20
PUTNAM VALLEY, NY 10579 PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL CONFIRMATION SAMPLE TYPE.: POTABLE
 : GENDER NEUTRAL SINK REDO PRESERVATIVES: HNO3
COL'D BY: CAREY CLERICI TEMP RECEIVED: 20C NOT ON ICE
NOTES...: COLIFORM METH: N/A


START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 22 3113B

COMMENTS:
Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
 (INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
 A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
 U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
 NATIONAL PRIMARY DRINKING WATER REGULATIONS
 VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
 Albert H. Padovani, M.T.(ASCP)
 Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003359 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 05:42A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL CONFIRMATION
: NURSE MEDIAN SINK REDO

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	1.7 ppb	0-15 ppb	SM 22 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003360 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 05:39A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL CONFIRMATION
: 1ST FL FACULTY NORTH EAST REDO
COL'D BY: CAREY CLERICI
NOTES...:

SAMPLE TYPE...: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	1.7 ppb	0-15 ppb	SM 22 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINUMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003361 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/06/20 05:43A
DATE/TIME REC'D: 10/06/20 09:30A
REPORT DATE: 10/17/20
PHONE: (914)-526-8900

SAMPLING SITE: MIDDLE SCHOOL CONFIRMATION
: 142 RIGHT SINK REDO

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES....:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/14/20			LEAD (IMS)	<1.0 ppb	0-15 ppb	SM 22 3113B

COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323

YML ENVIRONMENTAL SERVICES
321 Kear Street
Yorktown Heights, N.Y. 10598
(914) 245-2800
Albert H. Padovani, Director
** TEST REPORT **

LAB #: 1.003554 CLIENT #: 551 NON STAT PROC PAGE: 1 of 1

PUTNAM VALLEY CENTRAL
146 PEEKSKILL HOLLOW RD
ATTN: DAVID SPITTAL
PUTNAM VALLEY, NY 10579

DATE/TIME TAKEN: 10/20/20 07:12A
DATE/TIME REC'D: 10/20/20 10:05A
REPORT DATE: 10/26/20
PHONE: (914)-526-8900

SAMPLING SITE: PUTNAM VALLEY MIDDLE SCHOOL
: RM 141

SAMPLE TYPE.: POTABLE
PRESERVATIVES: HNO3
TEMP RECEIVED: 20C NOT ON ICE
COLIFORM METH: N/A

COL'D BY: CAREY CLERICI
NOTES...:

START DATE/TIME	END DATE/TIME	FLAG	PROCEDURE	RESULT	NORMAL - RANGE	METHOD
10/22/20			LEAD (IMS)	10.1 ppb	0-15 ppb	SM 22 3113B


COMMENTS:

Pb/Cu LEAD limits for public schools are set at 15 ppb.
EPA Lead & Copper Rule for Public Systems requires that no more than 10% of their distribution points have a LEAD value of more than 15 ppb and a COPPER value of 1.3 mg/L, else water treatment must be undertaken to reduce the waters corrosive potential.

IMS IMS = IMMEDIATE METAL SAMPLE.
(INTERPRETATION: WATER SAMPLED AFTER SITTING UNDISTURBED
A MINIMUM OF 6 HOURS OR OVERNIGHT)

NRR 'NORMAL-RANGE' REFERENCE=
U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA); MAY 2009
NATIONAL PRIMARY DRINKING WATER REGULATIONS
VISIT: <https://www.epa.gov/ground-water-and-drinking-water/national-primary-drinking-water-regulation-table>

THE ABOVE TEST PROCEDURES MEET ALL REQUIREMENTS OF NELAC,
AND RELATE ONLY TO THESE SAMPLES RECEIVED BY THE LAB

SUBMITTED BY: 
Albert H. Padovani, M.T. (ASCP)
Director

ELAP# 10323